



ANNUAL REPORT FORM FOR INDIVIDUAL NPDES PERMITS FOR MUNICIPAL SEPARATE STORM SEWER SYSTEMS (RULE 62-624.600(2), F.A.C.)

- This Annual Report Form must be completed and submitted to the Department to satisfy the annual reporting requirements established in Rule 62-624.600, F.A.C.
- Submit this fully completed and signed form and any REQUIRED attachments by mail to the address in the box at right.
- Refer to the Form Instructions for guidance on completing each section.
- Please print or type information in the appropriate areas below.

Submit the form and attachments to:
 Florida Department of Environmental Protection
 Mail Station 2500
 2600 Blair Stone Road
 Tallahassee, Florida 32399-2400

SECTION I. BACKGROUND INFORMATION

A.	Permittee Name: Town of Palm Beach		
B.	Permit Name: Palm Beach County Municipal Separate Storm Sewer System		
C.	Permit Number: FLS000018-003 (Cycle 3)		
D.	Annual Report Year: ☐ Year 1 ☐ Year 2 ☒ Year 3 ☐ Year 4 ☐ Year 5 ☐ Other, specify Year:		
E.	Reporting Time Period (month/year): 10/ 2012 through 09 / 2013		
F.	Name of the Responsible Authority: Peter Elwell		
	Title: Town Manager		
	Mailing Address: P.O. Box 2029		
	City: Palm Beach	Zip Code: 33480	County: Palm Beach
	Telephone Number: 561 838 5410		Fax Number: 561 835 4687
	E-mail Address: pelwell@townofpalmbeach.com		
G.	Name of the Designated Stormwater Management Program Contact (if different from Section I.F above): Martin Gauthier		
	Title: Engineer		
	Department: Public Works		
	Mailing Address: 951 Old Okeechobee Road, Suite A		
	City: West Palm Beach	Zip Code: 33401	County: Palm Beach
	Telephone Number: 561 838 5440		Fax Number: 561 835 4691
	E-mail Address: mgauthier@townofpalmbeach.com		

SECTION II. MS4 MAJOR OUTFALL INVENTORY (Not Applicable In Year 1)

A.	Number of outfalls ADDED to the outfall inventory in the current reporting year (insert "0" if none): 0 (Does this number include non-major outfalls? ☒ Yes ☐ No ☐ Not Applicable)
B.	Number of outfalls REMOVED from the outfall inventory in the current reporting year (insert "0" if none): 0 (Does this number include non-major outfalls? ☒ Yes ☐ No ☐ Not Applicable)
C.	Is the change in the total number of outfalls due to lands annexed or vacated? ☐ Yes ☐ No ☒ Not Applicable

SECTION III. MONITORING PROGRAM

A.	Provide a brief statement as to the status of monitoring plan implementation: <i>DEP Note: All co-permittees may refer to the PBC Joint AR here as follows: "The monitoring plan is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the monitoring information."</i>
B.	Provide a brief discussion of the monitoring results to date: <i>DEP Notes:</i> • All co-permittees may refer to the PBC Joint AR here as follows: "Please see the Palm Beach County Joint Annual Report for the monitoring information." • See Part V of the permit for the monitoring requirements.
C.	Attach a monitoring data summary, as required by the permit. N/A

SECTION IV. FISCAL ANALYSIS

A.	Total expenditures for the NPDES stormwater management program for the current reporting year: \$822,460 <i>DEP Note: If program resources have decreased from the previous year, attach a discussion of the impacts on the implementation of the SWMP as per Part II.F of the permit.</i>
B.	Total budget for the NPDES stormwater management program for the subsequent reporting year: \$903,090

SECTION V. MATERIALS TO BE SUBMITTED WITH THIS ANNUAL REPORT FORM

Only the following materials are to be submitted to the Department along with this fully completed and signed Annual Report Form (check the appropriate box to indicate whether the item is attached or is not applicable):

Attached	N/A	***DEP Note: Please complete Checklists A & B at the end of the tailored form.***
☐	☒	Any additional information required to be submitted in this current annual reporting year in accordance with Part III.A of your permit that is not otherwise included in Section VII below.
☐	☒	A monitoring data summary as directed in Section III.C above and in accordance with Rule 62-624.600(2)(c), F.A.C. (Note: The monitoring plan is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the monitoring information.)
☐	☒	Year 1 ONLY: An inventory of all known major outfalls and a map depicting the location of the major outfalls (hard copy or CD-ROM) in accordance with Rule 62-624.600(2)(a), F.A.C.
☐	☒	Year 3 ONLY: The estimates of pollutant loadings and event mean concentrations for each major outfall or each major watershed in accordance with Rule 62-624.600(2)(b), F.A.C. (Note: The estimates of pollutant loading is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the loading information.)
☐	☒	Year 4 ONLY: Permit re-application information in accordance with Rule 62-624.420(2), F.A.C.

DO NOT SUBMIT ANY OTHER MATERIALS
(such as records and logs of activities, monitoring raw data, public outreach materials, etc.)


SECTION VI. CERTIFICATION STATEMENT AND SIGNATURE

The Responsible Authority listed in Section I.F above must sign the following certification statement, as per Rule 62-620.305, F.A.C:

I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gathered and evaluated the information submitted. Based upon my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Name of Responsible Authority (type or print): Peter Elwell

Title: Town Manager

Signature: 

Date: 6/6/14

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.	
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments	
Part III.A.1	Structural Controls and Stormwater Collection Systems Operation					
	Maintain an up-to-date inventory of the structural controls and roadway stormwater collection structures operated by the permittee, including, at a minimum, all of the types of control structures listed in Table II.A.1.a of the permit. Report the current known inventory. <i>DEP Note: The permittee needs to "customize" this section by adding any structural controls to the list below that are part of the permittee's MS4 currently or are planned for the future. The permittee may remove any structural controls listed that it does not have currently or will likely not have during this permit cycle. Please see the attached description of each type of structure. In addition, the permittee may choose its own unit of measurement for each structural control to be consistent with the unit of measurement in the documentation. Unit options include: miles, linear feet, acres, etc.</i> Report the number of inspection and maintenance activities conducted for each type of structure included in Table II.A.1.a, and the percentage of the total inventory of each type of structure inspected and maintained. If the minimum inspection frequencies set forth in Table II.A.1.a were not met, provide as an attachment an explanation of why they were not and a description of the actions that will be taken to ensure that they will be met. <i>DEP Note: If the minimum inspection frequencies set forth in Table II.A.1.a of the permit were not met for one or more type of structure, the permittee must provide as an attachment an explanation of why they were not and a description of the actions that will be taken to ensure that they will be met. Please provide the title of the attached explanation in Column D and the name of the entity who finalized the explanation in Column E.</i>					
	Type of Structure	Number of Activities Performed			Entity Performing the Activity	Comments
		Total Number of Structures	Number of Inspections	Percentage Inspected	Number of Maintenance Activities	Percentage Maintained
	Dry retention systems	0	N/A	N/A	N/A	N/A
	Exfiltration trench / French drains (linear feet)	640	10	50	0	20
	Grass treatment swales (miles)	0	N/A	N/A	N/A	N/A
	Dry detention systems	0	N/A	N/A	N/A	N/A
	Wet detention systems	0	N/A	N/A	N/A	N/A

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.				D.	E.	F.	
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed				Documentation / Record	Entity Performing the Activity	Comments	
	Pollution control boxes	12	728	100	72	100	PM Work Order Log	Town of Palm Beach, Water Resources Division	Part of pump station activity
	Stormwater pump stations	12	728	100	72	100	PM Work Order Log	Town of Palm Beach, Water Resources Division	
	Major stormwater outfalls	12	728	100	N/A	N/A	PM Work Order Log	Town of Palm Beach, Water Resources Division	Pump station outfalls
	Weirs or other control structures	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
	MS4 pipes / culverts (miles)	31	274	N/A	N/A	N/A	PM Work Order Log	Town of Palm Beach, Water Resources Division	Inventory included in new SOP
	Inlets / catch basins / grates	1640	6560	100	6560	100	Streets Work Order Log	Town of Palm Beach, Street Maintenance Bureau	
	Ditches / conveyance swales (miles)	0	N/A	N/A	N/A	N/A	N/A	Town of Palm Beach, Water Resources Division	No ditches/conveyance swales in MS4
	ATTACH explanation if any of the minimum inspection frequencies in Table II.A.1.a were not met								
	Year 1 ONLY: Attach a map of all known major outfalls as per Rule 62-624.600(2)(a), F.A.C.								
							MS4 Inventory Map	Town of Palm Beach, Water Resources Division	Map showing major outfalls previously submitted
Part III.A.2	Areas of New Development and Significant Redevelopment				Residential redevelopment				
Report the number of new development and significant redevelopment projects reviewed by the permittee for post-development stormwater considerations.									
DEP Note: Please provide an explanation in Column F for any "0" reported in Column C. This provision DOES NOT APPLY to Indian Trail Improvement District (ITID), Northern Palm Beach County Improvement District (NPBCID), South Indian River Water Control District (SIRWCD), and FDOT.									
Number of new development / significant redevelopment projects reviewed					0	N/A	N/A	N/A	
Provide in the Year 2 Annual Report the summary report of the review of local codes activity. Provide in the Year 4 Annual Report the follow-up report on plan implementation of modifying codes to allow low impact design BMPs.									

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	<i>DEP Note: Refer to Part III.A.2 of the permit for details regarding what the review entails, and what must be included in the summary report and follow-up report. Please provide the title of the attached report in Column D and the name of the entity who finalized the report in Column E. This provision DOES NOT APPLY to ITID, NPBCID, SIRWCD, and FDOT.</i> Year 2 ONLY: Attach the summary report of the review activity Year 4 ONLY: Attach the follow-up report on plan implementation				
Part III.A.3	Roadways Annually review (and revise, as needed) and implement the permittee's written procedures for the litter control program(s) for public streets, roads, and highways, including rights-of-way, employed within the permittee's jurisdictional area and properly dispose of collected material. Implement the program on a monthly, or on an as needed, basis. Report on the litter control program, including the frequency of litter collection, an estimate of the total number of road miles cleaned or amount of area covered by the activities, and an estimate of the quantity of litter collected. <i>DEP Note: Please provide an explanation in Column F for any "0" reported in Column C. In addition, the permittee may choose its own units of measurement for the reporting items. Unit options for the amount of litter include: bags, cubic yards, pounds, tons. Unit options for the amount of area covered by the activity include: square feet, linear feet, yards, miles, acres. If all litter collection is performed by staff or by contractors, but not by both, please remove the non-applicable reporting items.</i>				
	PERMITTEE Litter Control Program: Frequency of litter collection	0	N/A	N/A	Town does not have litter control program see SOP
	PERMITTEE Litter Control Program: Estimated amount of area maintained (linear feet)	0	N/A	N/A	Town does not have litter control program see SOP
	PERMITTEE Litter Control Program: Estimated amount of litter collected (cubic yards)	0	N/A	N/A	Town does not have litter control program see SOP
	CONTRACTOR Litter Control Program: Frequency of litter collection	0	N/A	N/A	Town does not have litter control program see SOP
	CONTRACTOR Litter Control Program: Estimated amount of area maintained (linear feet)	0	N/A	N/A	Town does not have litter control program see SOP
	CONTRACTOR Litter Control Program: Estimated amount of litter collected (cubic yards)	0	N/A	N/A	Town does not have litter control program see SOP
	If an Adopt-A-Road or similar program is implemented, report the total number of road miles cleaned and an estimate of the quantity of litter collected.				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	<i>DEP Note: The permittee may choose its own unit of measurement for the amount of litter collected. Unit options include: bags, cubic yards, pounds, tons. If an Adopt-A-Road or similar program is not implemented by the permittee, please note that in Column F but do not remove the Adopt-A-Road Program reporting items.</i> Keep PBC Beautiful Trash Pick-up Events: Total miles cleaned	0	N/A	N/A	Town does not have Adopt a Road program
	Keep PBC Beautiful Trash Pick-up Events: Estimated amount of litter collected (cubic yards)	0	N/A	N/A	Town does not have Adopt a Road program
	Adopt-A-Road Program: Total miles cleaned	0	N/A	N/A	Town does not have Adopt a Road program
	Adopt-A-Road Program: Estimated amount of litter collected (cubic yards)	0	N/A	N/A	Town does not have Adopt a Road program
	Report on the street sweeping program, including the frequency of the sweeping, total miles swept, an estimate of the quantity of sweepings collected, and the total nitrogen (TN) and total phosphorus (TP) loadings that were removed by the collection of sweepings. If no street sweeping program is implemented, provide the explanation of why not in the Year 1 Annual Report.				
	<i>DEP Note: Please provide an explanation in Column F for any "0" reported in Column C. Also, the permittee may choose its own unit of measurement for the amount of sweeping material collected. Unit options include: cubic yards, pounds, tons.</i> <i>DEP Note: If the permittee has curbs and gutters but no street sweeping program is implemented, the permittee must provide an explanation of why not in the Year 1 Annual Report. Refer to Part III.A.3 of the permit for the information that must be included in the explanation (including the alternate BMPs used or planned in lieu of street sweeping). Please provide the title of the attached explanation in Column D and the name of the entity who finalized the explanation in Column E.</i>	3x per week	Contract	All American Sweeping	
	Frequency of street sweeping				
	Total miles swept (per year)	3088	Contract	All American Sweeping	
	Estimated quantity of sweeping material collected (cubic yards)	293	Report Log	All American Sweeping	
	Total nitrogen loadings removed (pounds)	172	N/A	N/A	Computed with FSA spreadsheet
	Total phosphorus loadings removed (pounds)	243	N/A	N/A	Computed with FSA spreadsheet
	Year 1 ONLY: If have curbs and gutters, attach explanation of why no street sweeping program and the alternate BMPs used or planned		N/A	N/A	N/A
	Annually review (and revise, as needed) and implement the permittee's written standard practices to reduce the pollutants in stormwater runoff from areas associated with road repair and maintenance, and from permittee-owned or operated equipment yards and maintenance shops that support road maintenance activities. Report the number of applicable facilities and the number of inspections conducted for each facility.				
	<i>DEP Note: The permittee needs to "customize" this section by listing the names of the applicable facilities in Column B and the number of inspections of each</i>				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	<i>facility in Column C. Add more rows if necessary. If "0" is reported in Column C for the number of inspections conducted and the permittee has one or more applicable facilities, please provide an explanation in Column F for why no inspections were conducted. In addition, if the same facility is applicable under both Parts III.A.3 and III.A.5 of the permit, the same site inspection can count towards both inspection requirements as long as it covers the applicable waste area(s). Be sure to report the site inspection under both Parts III.A.3 and III.A.5.</i>				
		Number of Inspections			
	Name of facility #1: None located within MS4	12	Maintenance Shop Inspection	Public Works	N/A
	Name of facility #2:				
	Name of facility #3:				
	Name of facility #4:				
Part III.A.4	Flood Control Projects				
	Report the total number of flood control projects that were constructed by the permittee during the reporting period and the number of those projects that did NOT include stormwater treatment. The permittee shall provide a list of the projects where stormwater treatment was not included with an explanation for each of why it was not. Report on any stormwater retrofit planning activities and the associated implementation of retrofitting projects to reduce stormwater pollutant loads from existing drainage systems that do not have treatment BMPs.				
	<u>DEP Note:</u> A "stormwater retrofit project" is one implemented primarily to provide stormwater treatment.				
	<u>DEP Note:</u> The status of the flood control and retrofit projects should be reported as of the last day of the applicable reporting period. Therefore, there should be no duplication for those reported as planned, for those reported as under construction and for those reported as completed.				
	<u>DEP Note:</u> If applicable, please provide the title of the attached list of flood control projects that did not include stormwater treatment in Column D and the name of the entity who finalized the list in Column E.				
	Flood control projects completed during the reporting period	0	N/A	N/A	N/A
	Flood control projects completed during the reporting period that did not include stormwater treatment	N/A	N/A	N/A	N/A
	ATTACH a list of the flood control projects that did not include stormwater treatment and an explanation for each of why it was not		N/A	N/A	N/A
	Stormwater retrofit projects planned	0	N/A	N/A	N/A
	Stormwater retrofit projects under construction during the reporting period	0	N/A	N/A	N/A
	Stormwater retrofit projects completed during the reporting period	0	N/A	N/A	N/A
Part III.A.5	Municipal Waste Treatment, Storage, and Disposal Facilities Not Covered by an NPDES Stormwater Permit				
	Annually review (and revise, as needed) and implement the permittee's written procedures for inspections and the implementation of measures to control discharges from the following facilities that are not otherwise covered by an NPDES stormwater permit: • Operating municipal landfills; • Municipal waste transfer stations; • Municipal waste fleet maintenance facilities; and				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	Any other municipal waste treatment, waste storage, and waste disposal facilities. Report the number of applicable facilities and the number of the inspections conducted for each facility. <i>DEP Note: The permittee needs to "customize" this section by listing the names of the applicable facilities in Column B and the number of inspections of each facility in Column C. Add more rows if necessary. If "0" is reported in Column C for the number of inspections conducted and the permittee has one or more applicable facilities, please provide an explanation in Column F for why no inspections were conducted. An applicable facility under Part III.A.5 includes, but is not limited to, those facilities/yards where street sweeping material and/or yard waste are temporary stockpiled, and where solid waste collection vehicles are parked and/or maintained. In addition, if the same facility is applicable under both Parts III.A.3 and III.A.5 of the permit, the same site inspection can count towards both inspection requirements as long as it covers the applicable waste area(s). Be sure to report the site inspection under both Parts III.A.3 and III.A.5.</i>	Number of Inspections			
	Name of facility #1: Pinewalk yard waste transfer	4	Inspection reports	TPB, Erosion Control Inspector	
	Name of facility #2:				
	Name of facility #3:				
	Name of facility #4:				
Part III.A.6	Pesticides, Herbicides, and Fertilizer Application				
	Continue to require proper certification and licensing by the Florida Department of Agriculture and Consumer Services (FDACS) for all applicators contracted to apply pesticides, herbicides, or fertilizers on permittee-owned property, as well as any permittee personnel employed in the application of these products. Report the number of permittee personnel applicators and contracted commercial applicators of pesticides and herbicides who are FDACS certified / licensed. Report the number of permittee personnel and contractors who have been trained through the Green Industry BMP Program, and the number of contracted commercial applicators of fertilizer who are FDACS certified / licensed. <i>DEP Note: If "0" is reported in Column C for any of the reporting items, please include in Column F an explanation of why training was not provided to / obtained by personnel and contractors during the applicable reporting year, the most recent year that training / certification was previously provided / obtained, and the names of the personnel and contractors previously trained / certified.</i> PERSONNEL: Florida Department of Agriculture and Consumer Services (FDACS) certified applicators of pesticides and herbicides CONTRACTORS: FDACS certified / licensed applicators of pesticides and herbicides CONTRACTORS: FDACS certified / licensed applicators of fertilizer PERSONNEL: Green Industry BMP Program training completed CONTRACTORS: Green Industry BMP Program training completed Pursuant to SB 2080 (2009), all local governments are encouraged to adopt a Florida-friendly Landscaping Ordinance similar to the one set forth in the document "Florida-friendly Guidance Models for Ordinances, Covenants and Restrictions." If the broader Florida-friendly ordinance described above is not adopted, then all local governments within the watershed of a nutrient-impaired water body shall adopt the Department's Model Ordinance for Florida-Friendly Fertilizer Use on Urban Landscapes pursuant to SB 494 (2009) or an ordinance that includes all of the requirements set forth in the Model Ordinance. The ordinance shall be adopted within 24 months of the date of permit issuance. Provide a copy of the adopted ordinance with the subsequent Year 1 or Year 2 Annual Report.				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE					
A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	<u>DEP Note:</u> This provision <u>DOES NOT APPLY</u> to ITID, NPBCID, SIRWCD, and FDOT. For all other permittees, if this provision is not applicable because the permittee is not within the watershed of a nutrient-impaired water body, then please indicate that in Column F, but do not remove this reporting item.				
	<u>DEP Note:</u> Please provide the title and citation of the ordinance in Column D, and the name of the entity who finalized the ordinance in Column E.				
	Year 1 or Year 2 ONLY: Attach copy of adopted Florida-friendly ordinance		N/A	N/A	N/A
	During Year 1 of the permit, develop and implement a written public education and outreach program plan to encourage citizens to reduce their use of pesticides, herbicides, and fertilizers. Report on the public education and outreach activities that are performed or sponsored by the permittee within the permittee's jurisdiction to encourage citizens to reduce their use of pesticides, herbicides, and fertilizers, including the type and number of activities conducted, the type and number of materials distributed, the percentage of the population reached by the activities in total, and the number of Web site visits (if applicable). Activities performed under the Florida Yards and Neighborhoods (FYN) program should only be reported if the permittee is contributing funding towards the FYN staff and program within its jurisdiction.				
	<u>DEP Note:</u> The permittee should "customize" the list of public outreach activities by removing items or adding items to the list below as appropriate to their particular public outreach program. However, the reporting item of "Estimated percentage of the population reached by the activities in total" must remain unless the permittee chooses to reference the PBC Joint AR, as demonstrated in the first reporting item below. The permittee may add more specifics to the reporting items, such as the name of the brochure or newsletter distributed. If "0" is reported in Column C for all the reporting items, and the PBC Joint AR is not referenced, please include in Column F an explanation for why no outreach was performed.				
	<u>DEP Note:</u> All the permittees may refer to the PBC Joint AR in place of reporting individual items as demonstrated in the row below. The permittees may remove all reporting items except the first reporting item if they include reference to the PBC Joint AR. However, a permittee can choose to also report any outreach activities it performs in addition to the joint effort -- in such a case, please keep the reporting items that are applicable.				
	<u>DEP Note:</u> Indicate under Column E "Entity Performing the Activity" if FYN or IFAS is performing any of the reported public education and outreach activities. In addition, please complete the following line:				
	FYN PROGRAM FUNDING: Permittee Provides Funding? ☐ Yes ☒ No Amount of Funding = \$				
	Public education and outreach program	The public outreach and education plan is carried out as a joint effort by the Palm Beach County Co-permittees. Please see the Palm Beach County Joint Annual Report for the public education and outreach information.			
				FYN	
				FYN	
				FYN	
				FYN	
				FYN	

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	staff reports.				
	<i>DEP Note: Refer to Part III.A.7.c of the permit for what must be included in the written proactive inspection program plan. Please provide the title of the attached plan in Column D and the name of the entity who finalized the plan in Column E.</i>				
	Proactive inspections for suspected illicit discharges / connections / dumping	12	Inspection report	Town of Palm Beach, Engineering Division Inspector	
	Illicit discharges / connections / dumping found during a proactive inspection	0	N/A	N/A	
	Notices of Violation (NOVs) / warning letters / citations issued for illicit discharges / connections / dumping found during a proactive inspection	0	N/A	N/A	
	Fines issued for illicit discharges / connections / dumping found during a proactive inspection	0	N/A	N/A	
	Year 1 ONLY: Attach the written proactive inspection program plan				
	Annually review (and revise, as needed) and implement the permittee's written procedures to conduct reactive investigations to identify and eliminate the source(s) of illicit discharges, illicit connections or improper disposal to the MS4, based on reports received from permittee personnel, contractors, citizens, or other entities regarding suspected illicit activity. Report on the reactive investigation program as it relates to responding to reports of suspected illicit discharges, including the number of reports received, the number of investigations conducted, the number of illicit activities found, and the number and type of enforcement actions taken.				
	<i>DEP Note: If the number of reports received differs from the number of reactive investigations, please provide an explanation for the discrepancy in Column F. In addition, the permittee should re-word the "NOVs / warning letters / citations issued" reporting item to more accurately reflect its particular initial enforcement activity, if necessary.</i>				
	Reports of suspected illicit connections / discharges / dumping received	0	N/A	N/A	
	Reactive investigations of reports of suspected illicit discharges/connections / dumping	0	N/A	N/A	
	Illicit discharges / connections / dumping found during a reactive investigation	0	N/A	N/A	
	Notices of Violation (NOVs) / warning letters / citations issued for illicit discharges / connections / dumping found during a reactive investigation	0	N/A	N/A	
	Fines issued for illicit discharges / connections / dumping found during a reactive investigation	0	N/A	N/A	
	During Year 1 of the permit, develop and implement a written plan for the training of all appropriate permittee personnel (including field crews, fleet maintenance staff, and inspectors) and contractors to identify and report conditions in the stormwater facilities that may indicate the presence of illicit discharges / connections / dumping to the MS4. Follow-up training shall be provided annually. Report the number and type of training activities, and the number of permittee personnel and contractors trained (both in-house and outside training).				
	<i>DEP Note: If "0" is reported for either reporting item, please include in Column F an explanation of why training was not provided to / obtained by personnel and contractors during the applicable reporting year, the most recent year that training was previously provided / obtained, and the names of the personnel and contractors previously trained.</i>				
	Personnel trained	Initial Training	Refresher Training	FSA	Stormwater
		1	0		

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	Contractors trained 0		N/A	N/A	Operator 2 Certification N/A
Part III.A.7.d	Illicit Discharges and Improper Disposal — Spill Prevention and Response				
	Annually review (and revise, as needed) and implement the permittee's written spill-prevention/spill-response plan and procedures to prevent, contain, and respond to spills that discharge into the MS4. Report on the spill prevention and response activities, including the number of spills addressed.				
	<u>DEP Note:</u> The permittee may report the number of hazardous material spills separately from the number of non-hazardous material spills, or report one combined number, to more accurately reflect its tracking of these spills.				
	Hazardous and non-hazardous material spills responded to	0	N/A	N/A	
	During Year 1 of the permit, develop and implement a written plan for the training of all appropriate permittee personnel (including field crews, firefighters, fleet maintenance staff and inspectors) and contractors on proper spill prevention, containment, and response techniques and procedures. Follow-up training shall be provided annually. Report the number and type of training activities, and the number of permittee personnel and contractors trained (both in-house and outside training).				
	<u>DEP Note:</u> If "0" is reported for either reporting item, please include in Column F an explanation of why training was not provided to / obtained by personnel and contractors during the applicable reporting year, the most recent year that training was previously provided / obtained, and the names of the personnel and contractors previously trained.				
	Personnel trained	Initial Training	Refresher Training		
		1	0	FSA	Stormwater Operator 2 Certification
	Contractors trained	0	0	N/A	
Part III.A.7.e	Illicit Discharges and Improper Disposal — Public Reporting				
	During Year 1 of the permit, develop and implement a written public education and outreach program plan to promote, publicize, and facilitate public reporting of the presence of illicit discharges and improper disposal of materials into the MS4. Report on the public education and outreach activities that are performed or sponsored by the permittee within the permittee's jurisdiction to encourage the public reporting of suspected illicit discharges and improper disposal of materials, including the type and number of activities conducted, the type and number of materials distributed, the percentage of the population reached by the activities in total, and the number of Web site visits (if applicable).				
	<u>DEP Note:</u> The permittee should "customize" the list of public outreach activities by removing items or adding items to the list below as appropriate to their particular public outreach program. However, the reporting item of "Estimated percentage of the population reached by the activities in total" must remain unless the permittee chooses to reference the PBC Joint AR, as demonstrated in the first reporting item below. The permittee may add more specifics to the reporting items, such as the name of the brochure or newsletter distributed. If "0" is reported in Column C for all the reporting items, and the PBC Joint AR is not referenced, please include in Column F an explanation for why no outreach was performed.				
	<u>DEP Note:</u> All the co-permittees may refer to the PBC Joint AR in place of reporting individual items as demonstrated in the first line below. The co-permittees may remove all the other reporting items except the first one if they include reference to the PBC Joint AR. However, a permittee can choose to also report any outreach activities it performs in addition to the joint effort – in such a case, please keep the reporting items that are applicable.				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

[illegible]

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

[illegible]

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	Inflow / infiltration incidents discovered Inflow / infiltration incidents resolved	0	N/A	N/A	
	Name of owner of the sanitary sewer system	0	N/A	N/A	
	Town of Palm Beach				
Part III.A.8.a	Industrial and High-Risk Runoff — Identification of Priorities and Procedures for Inspections Continue to maintain an up-to-date inventory of all existing high risk facilities discharging into the permittee's MS4. The inventory shall identify the outfall and surface water body into which each high risk facility discharges. For the purposes of this permit, high risk facilities include: • Operating municipal landfills; • Hazardous waste treatment, storage, disposal and recovery facilities; • Facilities that are subject to EPCRA Title III, Section 313 (also known as the Toxics Release Inventory (TRI)) maintained by the U.S. EPA); and • Any other industrial or commercial discharge that the permittee determines is contributing a substantial pollutant loading to the permittee's MS4. This could include facilities identified through the proactive inspection program as per Part III.A.7.c of the permit. Report on the high risk facilities inventory, including the type and total number of high risk facilities and the number of facilities newly added each year. <u>DEP Note:</u> The TRI is updated every spring / summer by the U.S. EPA at www.epa.gov/triexplorer. Select "Facility" on the left, chose your Geographic Location, and then select "Generate Report." Please indicate in Column F when (month / year) you last checked EPA's TRI for applicable facilities. <u>DEP Note:</u> The total number of high risk facilities reported needs to equal the sum of the numbers of the four types of applicable facilities. During Year 1 of the permit, develop and implement a written plan for conducting inspections of high risk facilities to determine compliance with all appropriate aspects of the stormwater program. While the permittee may determine the order and frequency of the inspections, the permittee shall inspect each identified facility at least once during the permit term; however, facilities identified as high risk due to the findings of the proactive inspection program as per Part III.A.7.c of the permit shall be inspected annually. Report on the high risk facilities inspection program, including the number of inspections conducted and the number and type of enforcement actions taken. <u>DEP Note:</u> If "0" is reported for the number of inspections conducted and the permittee has one or more high risk facilities, please provide an explanation in Column F for why no inspections were conducted. In addition, the permittee should re-word the "NOVs / warning letters / citations issued" reporting item to more accurately reflect its particular initial enforcement activity, if necessary				
		Number of Facilities	Number of Inspections	For violations discovered during a high risk inspection	
				Fines issued	
				Notices of Violation (NOVs) / warning letters / citations issued	
	Total high risk facilities	0			EPA check 12/13
	New high risk facilities added to the inventory during the current reporting period	0			
	Operating municipal landfills	0		N/A	
	Hazardous waste treatment, storage, disposal and recovery (HWTSDR) facilities	0		N/A	

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	EPCRA Title III, Section 313 facilities (that are not landfills or HWTSDR facilities)	0	N/A	N/A	
	Facilities determined as high risk by the permittee through the proactive inspections as per Part III.A.7.c	0	N/A	N/A	
	Other facilities determined as high risk by the permittee (that are <u>not</u> facilities identified through the proactive inspections)	0	N/A	N/A	
Part III.A.8.b	Industrial and High-Risk Runoff — Monitoring for High Risk Industries				
	Sampling of the discharge to the stormwater system may be required on an as-needed basis in the event that inspections of high-risk facilities disclose suspected illicit discharges to the MS4. New high-risk industrial facilities as defined in 40 CFR 122.26(d)(2)(iv)(C) must be evaluated to determine if the new discharge is contributing a substantial pollutant load to the MS4. The evaluation may include site-specific monitoring. Report the number of high risk facilities sampled.				
	High risk facilities sampled	0	N/A	N/A	
Part III.A.9.a	Construction Site Runoff — Site Planning and Non-Structural and Structural Best Management Practices				
	Continue to implement the local codes or land development regulations and the written pre-construction site plan review procedures that require the use and maintenance of appropriate structural and non-structural erosion and sedimentation controls during construction to reduce the discharge of pollutants to the MS4. Report the number of permittee and private pre-construction site plans reviewed for stormwater, erosion, and sedimentation controls, and the number approved.				
	<i>DEP Note: Please provide an explanation in Column F for any "0" reported in Column C.</i>				
	PERMITTEE SITES: Construction site plans reviewed	1	Construction Site Building Permit	Town of Palm Beach, Engineering Division	CGP Required 1 acre or larger
	PERMITTEE SITES: Construction site plans approved	1	Construction Site Building Permit	Town of Palm Beach, Engineering Division	CGP Required 1 acre or larger
	PRIVATE SITES: Construction site plans reviewed	5	Construction Site Building Permit	Town of Palm Beach, Building Department	CGP Required 1 acre or larger
	PRIVATE SITES: Construction site plans approved	5	Construction Site Building Permit	Town of Palm Beach, Building Department	CGP Required 1 acre or larger
	Annually review (and revise, as needed) and implement the permittee's written procedures to notify all new development / redevelopment permit applicants of the need to obtain all required stormwater permits. Report the number of new development/redevelopment permit applicants notified of the ERP and CGP, and the number of applicants who confirmed ERP and CGP coverage.				
	<i>DEP Note: Please provide an explanation in Column F for any "0" reported in Column C. If the number of applicants notified of ERP or CGP coverage is less than the number of construction site plans reviewed, please provide an explanation for the discrepancy in Column F.</i>				

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	Notified of ERP stormwater permit requirements	0	N/A	N/A	Most projects fail beneath ERP exemption threshold
	Confirmed ERP coverage	0	Construction Site Building Permit	Town of Palm Beach, Building Department	Most projects fail beneath ERP exemption threshold
	Notified of CGP stormwater permit requirements	0	Construction Site Building Permit	Town of Palm Beach, Building Department	Most projects fail beneath CGP exemption threshold
	Confirmed CGP coverage	5	Construction Site Building Permit	Town of Palm Beach, Building Department	Most projects fail beneath CGP exemption threshold
Part III.A.9.b	Construction Site Runoff — Inspection and Enforcement				
	As an attachment to the Year 1 Annual Report, the permittee shall submit a written plan that details the standard operating procedures for implementation of the stormwater, erosion and sedimentation inspection program for construction sites discharging stormwater to the MS4. The permittee shall implement the plan for inspecting construction sites immediately upon written approval by the Department. Prior to Department approval, the permittee shall continue to perform inspections in accordance with its previously developed construction site inspection procedures. Report on the inspection program for privately-operated and permittee-operated construction sites, including the number of active construction sites during the reporting year, the number of inspections of active construction sites, the percentage of active construction sites inspected, and the number and type of enforcement actions / referrals taken. <i>DEP Note: If "0" is reported in Column C for the number of inspections conducted, please provide an explanation in Column F of why no inspections were conducted. If the number of inspections reported is equal to or less than the number of active construction sites, or the percentage inspected is less than 100%, please provide an explanation in Column F. In addition, the permittee should re-word the "NOVs / warning letters / citations issued" reporting item to more accurately reflect its particular initial enforcement activity, if necessary.</i> <i>DEP Note: Refer to Part III.A.9.b of the permit for what must be included in the construction site inspection program plan. Please provide the title of the attached plan in Column D and the name of the entity who finalized the plan in Column E.</i>				
	PERMITTEE SITES: Active construction sites				
		0	Construction Site Building Permit	Town of Palm Beach, Engineering Division	
	PERMITTEE SITES: Inspections of active construction sites for proper stormwater, erosion and sedimentation BMPs	0	Construction Inspection report	Town of Palm Beach, Engineering Division Inspector	
	PERMITTEE SITES: Percentage of active construction sites inspected	N/A	Construction Inspection report	Town of Palm Beach,	

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE

A.	B.	C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity	Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	PRIVATE SITES: Active construction sites			Engineering Division	
	PRIVATE SITES: Inspections of active construction sites for proper stormwater, erosion and sedimentation BMPs	5	Construction Site Building Permit	Town of Palm Beach, Building Department	CGP Required 1 acre or larger
	PRIVATE SITES: Percentage of active construction sites inspected	27	Construction Inspection report	TPB, Erosion Control Inspector	CGP Required 1 acre or larger
	Notices of Violation (NOVs) / warning letters / citations issued	100	Construction Inspection report	Town of Palm Beach, Building Department	CGP Required 1 acre or larger
	Stop Work Orders issued	0	NOV Log	Town of Palm Beach, Engineering Division	
	Fines issued	0	NOV Log	Town of Palm Beach, Engineering Division	
	Year 1 ONLY: Attach the written construction site inspection program plan		NOV Log	Town of Palm Beach, Engineering Division	
Part III.A.9.c	Construction Site Runoff — Site Operator Training		N/A	N/A	
	During Year 1 of the permit, develop and implement a written plan for stormwater training / outreach for construction site plan reviewers, site inspectors and site operators. Provide training for permittee personnel (employed by or under contract with the permittee) and private persons involved in the site plan review, inspection or construction of stormwater management, erosion, and sedimentation controls. All inspectors of construction sites shall be certified through the Florida Stormwater, Erosion, and Sedimentation Control Inspector Training program, or an equivalent program approved by the Department. Follow-up training shall be provided annually. Report the number and type of training activities, the number of inspectors, site plan reviewers and site operators trained (both in-house and outside training), and the number of private persons trained by the permittee. <u>DEP Note:</u> If "0" is reported for any of these reporting items, please include in Column F an explanation of why training was not provided to / obtained by the permittee's staff and private persons during the applicable reporting year. <u>DEP Note:</u> The permittee should report only the number of staff and private persons (i.e., private construction site operators) trained / certified during the applicable reporting year, and then note in Column F the number of staff and private persons who were previously trained / certified. Private site operator training can include pre-construction meetings.				
	Permittee construction	0			
	Certification Training	0			
	Initial Training (non-certification)	0			
	Refresher Training	1			
			FSA Certificate	FSA	All Inspectors

SECTION VII. STORMWATER MANAGEMENT PROGRAM (SWMP) SUMMARY TABLE						
A.	B.		C.	D.	E.	F.
Permit Citation/ SWMP Element	Permit Requirement/Quantifiable SWMP Activity		Number of Activities Performed	Documentation / Record	Entity Performing the Activity	Comments
	site inspectors					currently certified
	Permittee construction site plan reviewers	0	0	1		All site plan reviewers currently certified
	Permittee construction site operators	0	0	0	FSA	All site operators currently certified
	Private persons	0	0			

SECTION VIII. CHANGES TO THE STORMWATER MANAGEMENT PROGRAM (SWMP) ACTIVITIES (Not Applicable In Year 4)						
A.	Permit Citation/ SWMP Element	Proposed Changes to the Stormwater Management Program Activities Established as Specific Requirements Under Part III.A of the Permit (Including the Rationale for the Change) — REQUIRES DEP APPROVAL PRIOR TO CHANGE IF PROPOSING TO REPLACE OR DELETE AN ACTIVITY. <i>DEP Note: There may be changes deemed necessary after developing / reviewing your plans and SOPs as per Part III.A of the permit, after completing your SWMP evaluation as per Part VI.B.2 of the permit, or due to a TMDL / BMAP as per Part VIII.B of the permit.</i>				
		None				
B.	Permit Citation/ SWMP Element	Changes to the Stormwater Management Program Activities NOT Established as Specific Requirements Under Part III.A of the Permit (Including the Rationale for the Change) <i>DEP Note: There may be changes deemed necessary after developing / reviewing your plans and SOPs as per Part III.A of the permit, after completing your SWMP evaluation as per Part VI.B.2 of the permit, or due to a TMDL / BMAP as per Part VIII.B of the permit.</i>				
		None				

CHECKLIST A: ATTACHMENTS TO BE SUBMITTED WITH THE ANNUAL REPORTS

Below is a list of items required by the permit that may need to be attached to the annual report. Please check the appropriate box to indicate whether the item is attached or is not applicable for the current reporting period. Please provide the number and the title of the attachments in the blanks provided.

Attached	N/A	Rule / Permit Citation	Required Attachment	Attachment Number	Attachment Title
☐	☒	Part II.F	EACH ANNUAL REPORT: If program resources have decreased from the previous year, a discussion of the impacts on the implementation of the SWMP.		
☐	☒	Part III.A.1	EACH ANNUAL REPORT: An explanation of why the minimum inspection frequency in Table II.A.1.a was not met, if applicable.		
☐	☒	Part III.A.4	EACH ANNUAL REPORT: A list of the flood control projects that did not include stormwater treatment and an explanation for each of why it did not, if applicable.		
☐	☒	Part III.A.7.a	EACH ANNUAL REPORT: A report on amendments / changes to the legal authority to control illicit discharges, connections, dumping, and spills, if applicable.		
☐	☒	Part V.B.9	EACH ANNUAL REPORT: Reporting and assessment of monitoring results. [Also addressed in Section III of the Annual Report Form]		
☐	☒	Part VI.B.2	EACH ANNUAL REPORT: An evaluation of the effectiveness of the SWMP in reducing pollutant loads discharged from the MS4 that, at a minimum, must include responses to the questions listed in the permit.		
☐	☒	Part VIII.B.3.e	EACH ANNUAL REPORT: A status report on the implementation of the requirements in this section of the permit and on the estimated load reductions that have occurred for the pollutant(s) of concern.		
☐	☒	Part VIII.B.4.f	EACH ANNUAL REPORT after approval of the BPCP: The status of the implementation of the Bacterial Pollution Control Plan (BPCP).		
☐	☒	Rule 62-624.600(2)(a), F.A.C.	YEAR 1: An inventory of all known major outfalls and a map depicting the location of the major outfalls (hard copy or CD-ROM).		
☐	☒	Part III.A.3	YEAR 1: If have curbs and gutters but no street sweeping program, an explanation of why no street sweeping program and the alternate BMPs used or planned.		
☐	☒	Part III.A.6	YEAR 1 or YEAR 2: A copy of the adopted Florida-friendly Ordinance, if applicable.		
☐	☒	Part III.A.7.c	YEAR 1: A proactive illicit discharge / connection / dumping inspection program plan.		
☐	☒	Part III.A.9.b	YEAR 1: A construction site inspection program plan. [For approval by DEP]		
☐	☒	Part III.A.2	YEAR 2: A summary report of a review of codes and regulations to reduce the stormwater impact from new development / redevelopment.		
☐	☒	Part V.A.2	YEAR 3: Estimates of annual pollutant loadings and EMCs, and a table comparing the current calculated loadings with those from the previous two Year 3 ARs.		
☐	☒	Part III.A.2	YEAR 4: A follow-up report on plan implementation of changes to codes and regulations to reduce the stormwater impact from new development / redevelopment.		
☐	☒	Part V.A.3	YEAR 4: If the total annual pollutant loadings have not decreased over the past two permit cycles, revisions to the SWMP, as appropriate.		
☐	☒	Part V.B.3	YEAR 4: The monitoring plan (with revisions, if applicable).		
☐	☒	Part VII.C	YEAR 4: An application to renew the permit.		
☐	☒	Part VIII.B.3.d	YEAR 4: A TMDL Implementation Plan / Supplemental SWMP.		

CHECKLIST B: THE REQUIRED ANNUAL REVIEWS OF WRITTEN STANDARD OPERATING PROCEDURES (SOPs) & PLANS

The permit requires annual review, and revision if needed, of written Standard Operating Procedures (SOPs) and plans (e.g., public education and outreach, training, inspections). Please indicate your review status below. If you have made revisions that need DEP approval, you must complete Section VIII.A of the annual report.

Did not complete review of existing SOP / Plan	Developed new written SOP / Plan	Reviewed & no revision needed to existing SOP / Plan	Reviewed & revised existing SOP / Plan	Permit Citation	Description of Required SOPs / Plans
☐	☐	☒	☐	Part III.A.1	SOP and/or schedule of inspections and maintenance activities of the structural controls and roadway stormwater collection system.
☐	☐	☒	☐	Part III.A.2	SOP for development project review and permitting procedures and/or local codes and regulations for new development / areas of significant development.
☐	☐	☒	☐	Part III.A.3	SOP for the litter control program.
☐	☐	☒	☐	Part III.A.3	SOP for the street sweeping program.
☐	☐	☒	☐	Part III.A.3	SOP for inspections of equipment yards and maintenance shops that support road maintenance activities.
☐	☐	☒	☐	Part III.A.5	SOP for inspections of waste treatment, storage, and disposal facilities not covered by an NPDES stormwater permit.
PBC Joint	N/A	N/A	N/A	Part III.A.6	Plan for public education and outreach on reducing the use of pesticides, herbicides and fertilizer.
N/A	N/A	N/A	N/A	Part III.A.6	Plan for pesticide, herbicide and fertilizer application training <i>DEP Note: A plan is not necessary since the FDACS certification / licensing program adequately fulfills the permit requirement.</i>
PBC Joint AR	N/A	N/A	N/A	Part III.A.6	SOP for reducing the use of pesticides, herbicides and fertilizer, and for the proper application, storage and mixing of these products.
☐	☐	☒	☐	Part III.A.7.c	Plan for proactive illicit discharge / connections / dumping inspections.*
☐	☐	☒	☐	Part III.A.7.c	SOP for reactive illicit discharge / connections / dumping investigations.
☐	☐	☒	☐	Part III.A.7.c	Plan for illicit discharge training.
☐	☐	☒	☐	Part III.A.7.d	SOP for spill prevention and response efforts.
☐	☐	☒	☐	Part III.A.7.d	Plan for spill prevention and response training.
PBC Joint AR	N/A	N/A	N/A	Part III.A.7.e	Plan for public education and outreach on how to identify and report the illicit discharges and improper disposal to the MS4.
PBC Joint AR	N/A	N/A	N/A	Part III.A.7.f	Plan for public education and outreach on the proper use and disposal of oils, toxics and household hazardous waste.
☐	☐	☒	☐	Part III.A.7.g	SOP to reduce / eliminate sanitary wastewater contamination of the MS4.
☐	☐	☒	☐	Part III.A.8	SOP for inspections of high risk industrial facilities.
☐	☐	☒	☐	Part III.A.9.a	SOP for construction site plan review for stormwater, erosion and sedimentation controls, and ERP and CGP coverage.
☐	☐	☒	☐	Part III.A.9.b	Plan for inspections of construction sites.*
☐	☐	☒	☐	Part III.A.9.c	Plan for stormwater, erosion and sedimentation BMPs training.

* Revisions to these plans require DEP approval – please complete Section VIII.A of the annual report.

REMINDER LIST OF THE TMDL / BMAP REPORTS TO BE SUBMITTED <u>SEPARATELY</u> FROM AN ANNUAL REPORT		
Rule / Permit Citation	Report Title	Due Date
Part VIII.B.3.a	6 MONTHS from effective date of permit: TMDL Prioritization Report.	9/2/11
Part VIII.B.3.b	12 MONTHS from effective date of permit: TMDL Monitoring and Assessment Plan.	3/2/12
Part VIII.B.3.c	6 MONTHS from receiving analyses from the lab: TMDL Monitoring Report.	TBD
Part VIII.B.4	30 MONTHS from effective date of permit: A Bacterial Pollution Control Plan (BPCP).	9/2/13

**END OF REVISED TAILORED MS4 AR FORM
CYCLE 3 PERMIT**

TOWN OF PALM BEACH

Period 10/1/12 through 9/30/13

Enter Weight of Solids⁽¹⁾ Removed - Calculate Equivalent Dry Weight

FSA 2012

Category of Maintenance Activity	For Dry Solids by Weight	For Wet Solids by Weight ⁽²⁾			Sum of Calculated Equivalent Dry Weight Collected (Kilograms)
	If Known, Enter Weight of "Dry" Solids ⁽³⁾ (Pounds)	Enter Weight of Wet Solids Pounds	Enter Moisture Content ⁽⁴⁾ as decimal i.e., "0.15"	Calculated Weight of Dry Solids (Pounds)	
Street Sweepings	672,940	0	0.06	672,940	305,246
Catch Basin Cleanout	0	0	0.21	0	0
BMP Cleanout	0	0	0.26	0	0

GREEN Denotes Cells for DATA ENTRY

BLUE Denotes Calculation Results

NOTES:

1. "Particulate Matter" from the FSA Final Report is defined as "Solids" for use in this spreadsheet.
2. For Solids that are not dry; also enter the approximate moisture content by weight.
3. Dry Solids is defined as sediment that is 2% moisture content or less.
4. Use these default moisture content values until confirmed by sampling: 0.06, 0.21, and 0.26, Repsectively.

TOWN OF PALM BEACH

PERIOD 10/1/12 through 9/31/13

Calculated Nutrient Load Reductions from MS4 Maintenance Practices

FSA 2012

TOTAL PHOSPHORUS

Street Sweepings - Dry Mass Collected (Kg)

305,246
110

Amount of TP Removed (Kilograms)

Subtotal TP Removed (Kilograms)	Subtotal TP Removed (Pounds)
110	243

Catch Basins - Dry Mass Collected

17,819
7

Amount of TP Removed (Kilograms)

7
16

BMP - Dry Mass Collected

0
0

Amount of TP Removed (Kilograms)

0
0

GRAND TOTAL TP REMOVED (KILOGRAMS) =

118

GRAND TOTAL TP REMOVED (POUNDS) =

259

TOTAL NITROGEN

Street Sweepings - Dry Mass Collected (Kg)

305,246
172

Amount of TN Removed (Kilograms)

Subtotal TN Removed (Kilograms)	Subtotal TN Removed (Pounds)
172	379

Catch Basins - Dry Mass Collected

17,819
12

Amount of TN Removed (Kilograms)

12
27

BMP - Dry Mass Collected

0
0

Amount of TN Removed (Kilograms)

0
0

GRAND TOTAL TN REMOVED (KILOGRAMS) =

	84
--	----

GRAND TOTAL TN REMOVED (POUNDS) =

	406
--	-----